

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2023 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: RailGrout 6.25 Powder
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Unsuitable for home DIY applications.
- · Application of the substance / the preparation: Coating material
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

NiBaTek UG (haftungsbeschränkt)

Birkenweg 2

D-57635 Oberirsen

Tel.: +49 (0)2686/9887 461

e-mail: technik@nibatek.de

- · Further information obtainable from: Environmental Department
- 1.4 Emergency telephone number: GIZ Nord Universität Göttingen, 24h +49 (0)551/1924049

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS09

- · Signal word Void
- · Hazard statements

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contains dibenzoyl peroxide. May produce an allergic reaction.

Safety data sheet available on request.

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

(Contd. on page 2)



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.08.2022 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

Trade name: RailGrout 6.25 Powder

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 26444-49-5 EINECS: 247-693-8	diphenyl tolyl phosphate Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	0.5-2.5%
CAS: 94-36-0 EINECS: 202-327-6 Reg.nr.: 01-2119511472-50- XXXX	dibenzoyl peroxide Org. Perox. B, H241; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Eye Irrit. 2, H319; Skin Sens. 1, H317	≤0.5%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide & Carc. 2, H351	≤0.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: If symptoms persist consult doctor.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)



Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2023 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

Trade name: RailGrout 6.25 Powder

(Contd. of page 2)

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections No dangerous substances are released.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with	limit values that	t require monitorir	ng at the workplace:
--------------------	-------------------	---------------------	----------------------

#### 94-36-0 dibenzoyl peroxide

WEL Long-term value: 5 mg/m³

#### 13463-67-7 titanium dioxide

WEL Long-term value: 10\* 4\*\* mg/m³ \*total inhalable \*\*respirable

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Recommended filter device for short term use: Filter P1
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (EN 374)

(Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2023 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

Trade name: RailGrout 6.25 Powder

(Contd. of page 3)

Material of gloves

Leather gloves

Butyl rubber, BR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Not required.
- · Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid

· Colour: Different according to colouring

· Odour: Nearly odourless · Odour threshold: Not determined.

· Boiling point or initial boiling point and

boiling range Undetermined.

• Flammability Not determined.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.
pH Not applicable.

· Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

· Solubility

· water: Insoluble.

· Partition coefficient n-octanol/water (log

value) Not determined.

Vapour pressure: Not applicable.

Density and/or relative density

Density: Not determined.
Relative density Not determined.
Bulk density: 1.35 g/cm³
Vapour density Not applicable.

· 9.2 Other information

· Appearance:

· Form: Powder

· Important information on protection of health

and environment, and on safety.

• Auto-ignition temperature: Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

(Contd. on page 5)



Page 5/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2023 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

Trade name: RailGrout 6.25 Powder

		(Contd. of page
· Change in condition		
Evaporation rate	Not applicable.	
· Information with regard to physical haz	ard	
classes		
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Reacts with alkali, amines and strong acids.

No further relevant information available.

- 10.6 Hazardous decomposition products: No dangerous decomposition products known.
- · Additional information:

No special measures required.

Do not allow to enter sewers/ surface or ground water.

GB



Page 6/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2023 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

Trade name: RailGrout 6.25 Powder

(Contd. of page 5)

### **SECTION 11: Toxicological information**

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

The material is harmful to the environment.

Toxic for aquatic organisms

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

· 14.1 UN number or ID number

ADR, IMDG, IATA UN3077

(Contd. on page 7)



Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2023 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

Trade name: RailGrout 6.25 Powder

	(Contd. of page
14.2 UN proper shipping name ADR	3077 ENVIRONMENTALLY HAZARDOL SUBSTANCE, SOLID, N.O.S. (diphenyl to
IMDG	phosphate, triphenyl phosphate) ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (diphenyl to phosphate, triphenyl phosphate), MARIN
IATA	POLLUTANT ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S. (diphenyl tol phosphate, triphenyl phosphate)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances at articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardon
Marine pollutant:	substances: diphenyl tolyl phosphate No Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.
Hazard identification number (Kemler code): EMS Number:	90 F-A,S-F
Stowage Category	A
Stowage Code	SW23 When transported in BK3 bulk contained see 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1  Maximum net quantity per inner packaging: 30 g  Maximum net quantity per outer packaging: 1000
	(Contd. on pac

(Contd. on page 8)



Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.07.2023 Vers.No.: 12 (replaces version 11) Revision: 03.08.2022

Trade name: RailGrout 6.25 Powder

	(Contd. of page 7)
· Transport category	3
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DIPHENYL TOLYL PHOSPHATE, TRIPHENYL PHOSPHATE), 9, III

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H241 Heating may cause a fire or explosion.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

Org. Perox. B: Organic peroxides - Type B

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

GB