

DECLARATION OF PERFORMANCE



VM 1.10 Grout + VM 1.40 Grout

1. Unique identification code of the product-type:

NiBaTek 23001 EN 1504-6

2. Intended use/es:

Anchoring product

3. Manufacturer:

NiBaTek UG (haftungsbeschränkt), Birkenweg 2, 57635 Oberirsen, Germany

4. System/s of AVCP:

**System 2+ (for uses in buildings and civil engineering works)
System 4 (for uses subject to reaction to fire regulations)**

5. Notified body/ies:

Identification number 0921 - Qualitätsgemeinschaft Deutsche Bauchemie, ID-number 0921, has carried out the initial inspection of the factory and factory production control as well as the continuous surveillance and evaluation of factory production control according to the system 2+ and issued the following: Certificate of conformity of factory production control. 0921 CPR – 2245/2246. The classification of the fire class according to system 4 was carried out on the basis of the composition according to Commission Decision 96/603/EC.

6. Harmonised standard:

EN 1504-6

7. Declared performance/s:

| | | |
|----------------------|---------------------------------|--------------------|
| Pull-out | ≤ 0,6 mm at a load of 75 KN mm | EN 1504-6: 2006 |
| Chloride ion content | ≤ 0,05% | |
| Reaction to fire | Class A1 | |
| Dangerous substances | Consistency with EN 1504-6, 5.3 | |

8. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Oberirsen, 01.07.2023


Rudolf Nieren, CTO